

The Benefits of Diligence

A Deeper Study of λ -Calculus Simulations

Victor Arrial¹

Giulio Guerrieri²

Delia Kesner¹

¹Université Paris Cité, Paris

²Aix Marseille Univ, Marseille

GT Scalp
(Structures formelles pour le CALcul et les Preuves)
Orléans, November 28, 2023

Call-by-Name and Call-by-Value

Different Models of Computation:

Call-by-Name

NAME

Different Models of Computation:

Call-by-Name

NAME



Well studied

Different Models of Computation:

Call-by-Name

NAME



Well studied



Not used

Different Models of Computation:

Call-by-Name

NAME

Call-by-Value

VALUE



Well studied



Not used

Different Models of Computation:

Call-by-Name

NAME



Well studied



Not used

Call-by-Value

VALUE



Not understood

Different Models of Computation:

Call-by-Name

NAME



Well studied



Not used

Call-by-Value

VALUE



Not understood



Very much used

Call-by-Name

NAME

Call-by-Value

VALUE

Call-by-Name

NAME

Call-by-Value

VALUE

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Name

NAME

Call-by-Value

VALUE

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid tu$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid tu$
(Values) $v ::= x \mid \lambda x.t$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid t u$

$(\lambda x.t) u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid N t \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid t u$

(Values) $v ::= x \mid \lambda x.t$

$(\lambda x.t) v \mapsto_{\beta_v} t\{x := v\}$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid t u$

$(\lambda x.t) u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid N t \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid t u$

(Values) $v ::= x \mid \lambda x.t$

$(\lambda x.t) v \mapsto_{\beta_v} t\{x := v\}$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid tu$

(Values) $v ::= x \mid \lambda x.t$

$(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$

$V ::= \square \mid Vt \mid tV$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid tu$

(Values) $v ::= x \mid \lambda x.t$

$(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$

$V ::= \square \mid Vt \mid tV$

Call-by-Name

NAME

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$

$(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$

$N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE

(Terms) $t, u ::= v \mid tu$

(Values) $v ::= x \mid \lambda x.t$

$(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$

$V ::= \square \mid Vt \mid tV$

Mismatch between the syntax and the semantics

Blocked redexes:

$(\lambda x. \Delta) (y y) \Delta$

Mismatch between the syntax and the semantics

Blocked redexes:

$$(\lambda x. \Delta) (y y) \Delta$$

contextually equivalent to

$$(\lambda x. \Delta \Delta) (y y)$$

Mismatch between the syntax and the semantics

Blocked redexes:

$$(\lambda x. \Delta) (y y) \Delta$$

contextually equivalent to

$$(\lambda x. \Delta \Delta) (y y)$$

Explicit substitutions: [AccattoliKesner'10]

$$(\lambda x. \Delta) (y y) \Delta$$

Mismatch between the syntax and the semantics

Blocked redexes:

$$(\lambda x. \Delta) (y y) \Delta$$

contextually equivalent to

$$(\lambda x. \Delta \Delta) (y y)$$

Explicit substitutions: [AccattoliKesner'10]

$$(\lambda x. \Delta) (y y) \Delta$$

Mismatch between the syntax and the semantics

Blocked redexes:

$$(\lambda x. \Delta) (y y) \Delta$$

contextually equivalent to

$$(\lambda x. \Delta \Delta) (y y)$$

Explicit substitutions: [AccattoliKesner'10]

$$(\lambda x. \Delta) (y y) \Delta \rightarrow \Delta[x \setminus y y] \Delta$$

Mismatch between the syntax and the semantics

Blocked redexes:

$$(\lambda x. \Delta) (y y) \Delta$$

contextually equivalent to

$$(\lambda x. \Delta \Delta) (y y)$$

Explicit substitutions: [AccattoliKesner'10]

$$(\lambda x. \Delta) (y y) \Delta \rightarrow \Delta[x \backslash y y] \Delta$$

Mismatch between the syntax and the semantics

Blocked redexes:

$$(\lambda x. \Delta) (y y) \Delta$$

contextually equivalent to

$$(\lambda x. \Delta \Delta) (y y)$$

Explicit substitutions: [AccattoliKesner'10]

$$(\lambda x. \Delta) (y y) \Delta \rightarrow \Delta[x \backslash y y] \Delta \rightarrow z z[z \backslash \Delta][x \backslash y y] \rightarrow \dots$$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu$ $(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$ $N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu$ **(Values)** $v ::= x \mid \lambda x.t$ $(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$ $V ::= \square \mid Vt \mid tV$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \setminus u]$ $(\lambda x.t)u \mapsto_{\beta} t\{x := u\}$ $N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu$ **(Values)** $v ::= x \mid \lambda x.t$ $(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$ $V ::= \square \mid Vt \mid tV$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \setminus u]$ $L \langle \lambda x.t \rangle u \mapsto_{d\beta} L \langle t[x \setminus u] \rangle$ $L ::= \square \mid L[x \setminus u]$ $N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu$ **(Values)** $v ::= x \mid \lambda x.t$ $(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$ $V ::= \square \mid Vt \mid tV$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \backslash u]$ $L \langle \lambda x.t \rangle u \mapsto_{d\beta} L \langle t[x \backslash u] \rangle$ $L ::= \square \mid L[x \backslash u]$
 $N ::= \square \mid Nt \mid \lambda x.N$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu$
(Values) $v ::= x \mid \lambda x.t$ $(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$ $V ::= \square \mid Vt \mid tV$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \setminus u]$

$$L \langle \lambda x.t \rangle u \mapsto_{d\beta} L \langle t[x \setminus u] \rangle$$

$$t[x \setminus u] \mapsto_s t\{x := u\}$$

$$L ::= \square \mid L[x \setminus u]$$

$$N ::= \square \mid Nt \mid \lambda x.N$$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu$
(Values) $v ::= x \mid \lambda x.t$

$$(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$$

$$V ::= \square \mid Vt \mid tV$$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \backslash u]$

$$\begin{aligned}
 L \langle \lambda x.t \rangle u &\mapsto_{d\beta} L \langle t[x \backslash u] \rangle \\
 t[x \backslash u] &\mapsto_s t\{x := u\}
 \end{aligned}$$

$$\begin{aligned}
 L &::= \square \mid L[x \backslash u] \\
 N &::= \square \mid Nt \mid \lambda x.N
 \end{aligned}$$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu \mid t[x \backslash u]$ **(Values)** $v ::= x \mid \lambda x.t$

$$(\lambda x.t)v \mapsto_{\beta_v} t\{x := v\}$$

$$V ::= \square \mid Vt \mid tV$$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \backslash u]$

$$\begin{aligned} L \langle \lambda x.t \rangle u &\mapsto_{d\beta} L \langle t[x \backslash u] \rangle \\ t[x \backslash u] &\mapsto_s t\{x := u\} \end{aligned}$$

$$\begin{aligned} L &::= \square \mid L[x \backslash u] \\ N &::= \square \mid Nt \mid \lambda x.N \end{aligned}$$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu \mid t[x \backslash u]$ **(Values)** $v ::= x \mid \lambda x.t$

$$L \langle \lambda x.t \rangle u \mapsto_{d\beta} L \langle t[x \backslash u] \rangle$$

$$\begin{aligned} L &::= \square \mid L[x \backslash u] \\ V &::= \square \mid Vt \mid tV \end{aligned}$$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \backslash u]$

$$L \langle \lambda x.t \rangle u \mapsto_{d\beta} L \langle t[x \backslash u] \rangle$$

$$t[x \backslash u] \mapsto_s t\{x := u\}$$

$$L ::= \square \mid L[x \backslash u]$$

$$N ::= \square \mid Nt \mid \lambda x.N$$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu \mid t[x \backslash u]$ **(Values)** $v ::= x \mid \lambda x.t$

$$L \langle \lambda x.t \rangle u \mapsto_{d\beta} L \langle t[x \backslash u] \rangle$$

$$L ::= \square \mid L[x \backslash u]$$

$$V ::= \square \mid Vt \mid tV$$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x\backslash u]$

$$\begin{aligned} L\langle \lambda x.t \rangle u &\mapsto_{d\beta} L\langle t[x\backslash u] \rangle \\ t[x\backslash u] &\mapsto_s t\{x := u\} \end{aligned}$$

$$\begin{aligned} L &::= \square \mid L[x\backslash u] \\ N &::= \square \mid Nt \mid \lambda x.N \end{aligned}$$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu \mid t[x\backslash u]$ **(Values)** $v ::= x \mid \lambda x.t$

$$\begin{aligned} L\langle \lambda x.t \rangle u &\mapsto_{d\beta} L\langle t[x\backslash u] \rangle \\ t[x\backslash L\langle v \rangle] &\mapsto_{sv} L\langle t\{x := v\} \rangle \end{aligned}$$

$$\begin{aligned} L &::= \square \mid L[x\backslash u] \\ V &::= \square \mid Vt \mid tV \end{aligned}$$

Call-by-Name

NAME**(Terms)** $t, u ::= x \mid \lambda x.t \mid tu \mid t[x\backslash u]$

$$\begin{aligned} L\langle \lambda x.t \rangle u &\mapsto_{d\beta} L\langle t[x\backslash u] \rangle \\ t[x\backslash u] &\mapsto_s t\{x := u\} \end{aligned}$$

$$L ::= \square \mid L[x\backslash u]$$

$$N ::= \square \mid Nt \mid \lambda x.N \mid N[x\backslash t]$$

Call-by-Value

VALUE**(Terms)** $t, u ::= v \mid tu \mid t[x\backslash u]$ **(Values)** $v ::= x \mid \lambda x.t$

$$\begin{aligned} L\langle \lambda x.t \rangle u &\mapsto_{d\beta} L\langle t[x\backslash u] \rangle \\ t[x\backslash L\langle v \rangle] &\mapsto_{sV} L\langle t\{x := v\} \rangle \end{aligned}$$

$$L ::= \square \mid L[x\backslash u]$$

$$V ::= \square \mid Vt \mid tV \mid V[x\backslash t] \mid t[x\backslash V]$$

NAME

VALUE

NAME

VALUE

???

NAME

VALUE



???

Bang-Calculus

BANG

Bang-Calculus**BANG****(Terms)** $t, u ::= x \mid \lambda x.t \mid t u$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$
 $\mid !t$ (value)

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid tu$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$(\lambda x.t) !u \mapsto_{\beta} t\{x := u\}$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$(\lambda x.t) !u \mapsto_{\beta} t\{x := u\}$$

$$\text{der}(!t) \dashrightarrow_{!} t$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$(\lambda x.t) !u \mapsto_{\beta} t\{x := u\}$$

$$\text{der}(!t) \dashrightarrow_{!} t$$

$$S ::= \square \mid \lambda x.S \mid S t \mid t S \mid \text{der}(S)$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$(\lambda x.t) !u \mapsto_{\beta} t\{x := u\}$$

$$\text{der}(!t) \dashrightarrow_{!} t$$

$$S ::= \square \mid \lambda x.S \mid S t \mid t S \mid \text{der}(S)$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u \mid t[x \backslash u]$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$(\lambda x.t) !u \mapsto_{\beta} t\{x := u\}$$

$$\text{der}(!t) \mapsto_{!} t$$

$$S ::= \square \mid \lambda x.S \mid S t \mid t S \mid \text{der}(S)$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u \mid t[x \setminus u]$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$L \langle \lambda x.t \rangle u \mapsto_{\beta} L \langle t[x \setminus u] \rangle$$

$$t[x \setminus L \langle !u \rangle] \mapsto_{s!} L \langle t\{x := u\} \rangle$$

$$\text{der}(!t) \dashrightarrow_{!} t$$

$$L ::= \square \mid L[x \setminus u]$$

$$S ::= \square \mid \lambda x.S \mid S t \mid t S \mid \text{der}(S)$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid t u \mid t[x \setminus u]$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$L \langle \lambda x.t \rangle u \mapsto_{\beta} L \langle t[x \setminus u] \rangle$$

$$t[x \setminus L \langle !u \rangle] \mapsto_{s!} L \langle t\{x := u\} \rangle$$

$$\text{der}(L \langle !t \rangle) \dashrightarrow_{!} L \langle t \rangle$$

$$L ::= \square \mid L[x \setminus u]$$

$$S ::= \square \mid \lambda x.S \mid S t \mid t S \mid \text{der}(S)$$

Bang-Calculus

BANG

(Terms) $t, u ::= x \mid \lambda x.t \mid tu \mid t[x \setminus u]$
 $\mid !t$ (value)
 $\mid \text{der}(t)$ (computation)

$$L \langle \lambda x.t \rangle u \mapsto_{\beta} L \langle t[x \setminus u] \rangle$$

$$t[x \setminus L \langle !u \rangle] \mapsto_{s!} L \langle t\{x := u\} \rangle$$

$$\text{der}(L \langle !t \rangle) \dashrightarrow_{!} L \langle t \rangle$$

$$L ::= \square \mid L[x \setminus u]$$

$$S ::= \square \mid \lambda x.S \mid S t \mid t S \mid \text{der}(S) \mid S[x \setminus t] \mid t[x \setminus S]$$



$$t^N : \boxed{\text{NAME}} \rightarrow \boxed{\text{BANG}}$$
$$x^N := x$$
$$\lambda x.t^N := \lambda x.t^N$$
$$tu^N := t^N u^N$$

$$t^N : \boxed{\text{NAME}} \longrightarrow \boxed{\text{BANG}}$$
$$x^N := x$$
$$\lambda x.t^N := \lambda x.t^N$$
$$tu^N := t^N ! u^N$$

$$\begin{aligned} t^N : & \quad \boxed{\text{NAME}} \quad \longrightarrow \quad \boxed{\text{BANG}} \\ & \quad x^N := x \\ & \quad \lambda x.t^N := \lambda x.t^N \\ & \quad tu^N := t^N ! u^N \\ \\ t^V : & \quad \boxed{\text{VALUE}} \quad \longrightarrow \quad \boxed{\text{BANG}} \end{aligned}$$

$$\begin{array}{l}
 t^N : \boxed{\text{NAME}} \longrightarrow \boxed{\text{BANG}} \\
 x^N := x \\
 \lambda x.t^N := \lambda x.t^N \\
 tu^N := t^N ! u^N
 \end{array}$$

$$\begin{array}{l}
 t^V : \boxed{\text{VALUE}} \longrightarrow \boxed{\text{BANG}} \\
 x^V := x \\
 \lambda x.t^V := \lambda x.t^V \\
 tu^V := t^V u^V
 \end{array}$$

$$\begin{array}{l}
 t^N : \boxed{\text{NAME}} \longrightarrow \boxed{\text{BANG}} \\
 x^N := x \\
 \lambda x.t^N := \lambda x.t^N \\
 tu^N := t^N ! u^N
 \end{array}$$

$$\begin{array}{l}
 t^V : \boxed{\text{VALUE}} \longrightarrow \boxed{\text{BANG}} \\
 x^V := !x \\
 \lambda x.t^V := !\lambda x.t^V \\
 tu^V := t^V u^V
 \end{array}$$

$$\begin{array}{l}
 t^N : \boxed{\text{NAME}} \longrightarrow \boxed{\text{BANG}} \\
 x^N := x \\
 \lambda x.t^N := \lambda x.t^N \\
 tu^N := t^N ! u^N
 \end{array}$$

$$\begin{array}{l}
 t^V : \boxed{\text{VALUE}} \longrightarrow \boxed{\text{BANG}} \\
 x^V := !x \\
 \lambda x.t^V := !\lambda x.t^V \\
 tu^V := \text{der}(t^V) u^V
 \end{array}$$

CbN and CbV Embeddings

$$t^N : \boxed{\text{NAME}} \longrightarrow \boxed{\text{BANG}}$$
$$x^N := x$$
$$\lambda x.t^N := \lambda x.t^N$$
$$tu^N := t^N ! u^N$$
$$t[x \backslash u]^N := t^N [x \backslash ! u^N]$$

$$t^V : \boxed{\text{VALUE}} \longrightarrow \boxed{\text{BANG}}$$
$$x^V := !x$$
$$\lambda x.t^V := !\lambda x.t^V$$
$$tu^V := \text{der}(t^V) u^V$$
$$t[x \backslash u]^V := t^V [x \backslash u^V]$$

$$\begin{array}{l}
 t^N : \quad \boxed{\text{NAME}} \quad \longrightarrow \quad \boxed{\text{BANG}} \\
 x^N := x \\
 \lambda x.t^N := \lambda x.t^N \\
 tu^N := t^N ! u^N \\
 t[x \setminus u]^N := t^N [x \setminus ! u^N]
 \end{array}$$

$$\begin{array}{l}
 t^V : \quad \boxed{\text{VALUE}} \quad \longrightarrow \quad \boxed{\text{BANG}} \\
 x^V := !x \\
 \lambda x.t^V := !\lambda x.t^V \\
 tu^V := \text{der}(t^V) u^V \quad + \text{superdevelopment} \\
 t[x \setminus u]^V := t^V [x \setminus u^V]
 \end{array}$$



t^N : **NAME** \rightarrow **BANG**

$$\begin{aligned} x^N &:= x \\ \lambda x.t^N &:= \lambda x.t^N \\ tu^N &:= t^N ! u^N \\ t[x \backslash u]^N &:= t^N [x \backslash ! u^N] \end{aligned}$$

t^V : **VALUE** \rightarrow **BANG**



$$\begin{aligned} x^V &:= !x \\ \lambda x.t^V &:= !\lambda x.t^V \\ tu^V &:= \text{der}(t^V) u^V \quad + \text{superdevelopment} \\ t[x \backslash u]^V &:= t^V [x \backslash u^V] \end{aligned}$$

NAME





BANG

NAME





BANG

NAME




BANG

NAME



BANG


Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t normal form \Rightarrow t^N normal form **BANG**



Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]



NAME



BANG

Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME

t normal form

\Leftrightarrow



t^N normal form

BANG

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

Bang Calculus: A Subsuming Paradigm

NAME



BANG

Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME

t normal form

\Leftrightarrow

t^N normal form

BANG

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]



NAME

$t \rightarrow u$

BANG

Bang Calculus: A Subsuming Paradigm

NAME



BANG

Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME

t normal form

\Leftrightarrow

t^N normal form

BANG


Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME

$t \rightarrow u$

BANG

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t normal form $\Leftrightarrow t^N$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME $t \rightarrow u \Rightarrow t^N \rightarrow u^N$ **BANG**

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t normal form $\Leftrightarrow t^N$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME $t \rightarrow u \Rightarrow t^N \rightarrow u^N **BANG**$

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t normal form $\Leftrightarrow t^N$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t^N **BANG**

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t normal form $\Leftrightarrow t^N$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME $t^N \rightarrow u'$ **BANG**

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME t normal form $\Leftrightarrow t^N$ normal form **BANG**


Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

NAME $t^N \rightarrow u'$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$$t^N \rightarrow u' \Rightarrow u' = u^N$$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

$$\boxed{\text{NAME}} \quad t \text{ normal form} \quad \Leftrightarrow \quad t^N \text{ normal form} \quad \boxed{\text{BANG}}$$


Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

$$\boxed{\text{NAME}} \quad t^N \rightarrow u^N \quad \boxed{\text{BANG}}$$

Stability: [ArrialGuerrieriKesner'??]

$$t^N \rightarrow u' \quad \Rightarrow \quad u' = u^N$$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

$$\boxed{\text{NAME}} \quad t \text{ normal form} \quad \Leftrightarrow \quad t^N \text{ normal form} \quad \boxed{\text{BANG}}$$


Dynamic Properties: [ArrialGuerrieriKesner'??]

$$\boxed{\text{NAME}} \quad t \rightarrow u \quad \Leftrightarrow \quad t^N \rightarrow u^N \quad \boxed{\text{BANG}}$$

Stability: [ArrialGuerrieriKesner'??]

$$t^N \rightarrow u' \quad \Rightarrow \quad u' = u^N$$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

$$\boxed{\text{NAME}} \quad t \text{ normal form} \quad \Leftrightarrow \quad t^N \text{ normal form} \quad \boxed{\text{BANG}}$$


Dynamic Properties: [ArrialGuerrieriKesner'??]

$$\boxed{\text{NAME}} \quad t \rightarrow u \quad \Leftrightarrow \quad t^N \rightarrow u^N \quad \boxed{\text{BANG}}$$

Stability: [ArrialGuerrieriKesner'??]

$$t^N \rightarrow u' \quad \Rightarrow \quad u' = u^N$$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

$$\boxed{\text{NAME}} \quad t \text{ normal form} \quad \Leftrightarrow \quad t^N \text{ normal form} \quad \boxed{\text{BANG}}$$



Dynamic Properties: [ArrialGuerrieriKesner'??]

$$\boxed{\text{NAME}} \quad t \rightarrow u \quad \Leftrightarrow \quad t^N \rightarrow u^N \quad \boxed{\text{BANG}}$$

Stability: [ArrialGuerrieriKesner'??]



$$t^N \rightarrow u' \quad \Rightarrow \quad u' = u^N$$

VALUE





BANG

VALUE





BANG

VALUE




BANG

VALUE



BANG


Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form \Rightarrow t^V normal form **BANG**



Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]



VALUE



BANG

Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE

t normal form

\Leftrightarrow



t^V normal form

BANG

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

Bang Calculus: A Subsuming Paradigm

VALUE



BANG

Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE

t normal form

\Leftrightarrow

t^V normal form

BANG



Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE

$t \rightarrow u$

BANG

VALUE



BANG

Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE

t normal form

\Leftrightarrow

t^v normal form

BANG


Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE

$t \rightarrow u$

BANG

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE $t \rightarrow u$ $\Rightarrow t^V \rightarrow u^V$ **BANG**

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE $t \rightarrow u$ \Rightarrow $t^V \rightarrow u^V$ **BANG**

Bang Calculus: A Subsuming Paradigm




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE $t \rightarrow u$ $\Rightarrow t^V \rightarrow u^V$ **BANG**




Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t^V **BANG**



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE $t^V \rightarrow u'$ **BANG**

$(\lambda x.\Omega)y$

VALUE

BANG

$(\lambda x.\Omega)y$

\rightsquigarrow

$(\lambda x.\Omega)y^v$

VALUE

BANG

$$(\lambda x.\Omega)y \rightsquigarrow \text{der}(\lambda x.\Omega^v)y^v$$

VALUE

BANG

$$(\lambda x. \Omega) y \rightsquigarrow \text{der}(!\lambda x. \Omega^V) y^V$$

VALUE

BANG

$(\lambda x. \Omega) y$

\rightsquigarrow

$(\lambda x. \Omega^V) y^V$

VALUE

BANG

$$(\lambda x. \Omega) y \rightsquigarrow (\lambda x. \Omega^V) !y$$

VALUE

BANG

$$\begin{array}{ccc} (\lambda x. \Omega) y & \rightsquigarrow & (\lambda x. \Omega^V) !y \\ & & \downarrow \\ & & (\lambda x. (z!z)[z! \Delta^V]) (!y) \end{array}$$

VALUE

BANG

$(\lambda x. \Omega) y$

\rightsquigarrow

$(\lambda x. \Omega^V) !y$

VALUE

↓

BANG

$(\lambda x. (zz)[z \setminus \Delta]) y$

\rightsquigarrow

$(\lambda x. (z!z)[z \setminus \Delta^V]) (!y)$

VALUE

$(\lambda x. \Omega) y$

\rightsquigarrow

$(\lambda x. \Omega^V) !y$



$(\lambda x. (zz)[z \setminus \Delta]) y$

\rightsquigarrow

$(\lambda x. (z!z)[z \setminus !\Delta^V]) (!y)$

BANG

CbN and CbV Embeddings

t^N : **NAME** \rightarrow **BANG**

$x^N := x$
 $\lambda x.t^N := \lambda x.t^N$
 $t u^N := t^N ! u^N$
 $t[x \backslash u]^N := t^N [x \backslash ! u^N]$

t^V : **VALUE** \rightarrow **BANG**

$x^V := !x$
 $\lambda x.t^V := !\lambda x.t^V$
 $t u^V := \text{der}(t^V) u^V$ + superdevelopment
 $t[x \backslash u]^V := t^V [x \backslash u^V]$

t^N : **NAME** \rightarrow **BANG**

$x^N := x$
 $\lambda x.t^N := \lambda x.t^N$
 $t u^N := t^N ! u^N$
 $t[x \backslash u]^N := t^N [x \backslash ! u^N]$

t^V : **VALUE** \rightarrow **BANG**


$x^V := !x$
 $\lambda x.t^V := !\lambda x. !t^V$
 $t u^V := \text{der}(t^V) u^V$ + superdevelopment
 $t[x \backslash u]^V := t^V [x \backslash u^V]$

$t^N : \boxed{\text{NAME}} \longrightarrow \boxed{\text{BANG}}$

$$\begin{aligned} x^N &:= x \\ \lambda x.t^N &:= \lambda x.t^N \\ tu^N &:= t^N ! u^N \\ t[x \setminus u]^N &:= t^N [x \setminus ! u^N] \end{aligned}$$
 $t^V : \boxed{\text{VALUE}} \longrightarrow \boxed{\text{BANG}}$

$$\begin{aligned} x^V &:= !x \\ \lambda x.t^V &:= !\lambda x.!t^V \\ tu^V &:= \text{der}(\text{der}(t^V) u^V) \quad + \text{superdevelopment} \\ t[x \setminus u]^V &:= t^V [x \setminus u^V] \end{aligned}$$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE

t normal form


\Leftrightarrow

t^V normal form

BANG

Dynamic Properties:

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]


VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties:

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]


VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties:

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**


Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t \rightarrow^* u$ **BANG** $t^V \rightarrow^* u^V$

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**


Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t \rightarrow u$ \Leftarrow $t^V \rightarrow^* u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

$$\boxed{\text{VALUE}} \quad t \text{ normal form} \quad \Leftrightarrow \quad t^V \text{ normal form} \quad \boxed{\text{BANG}}$$


Dynamic Properties: [ArrialGuerrieriKesner'??]

$$\boxed{\text{VALUE}} \quad t \rightarrow u \quad \Leftarrow \quad t^V \rightarrow\rightarrow^* u^V \quad \boxed{\text{BANG}}$$

Stability: [ArrialGuerrieriKesner'??]

$$t^V \rightarrow\rightarrow^* u' \text{ and } u' \text{ admin free} \quad \Rightarrow \quad u' = u^V$$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**


Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t^V \rightarrow u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**


Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t^V \rightarrow^* u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t^V \rightarrow u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$



Is the administration of the Bang Calculus diligent ?



Is the administration of the Bang Calculus diligent ?

\rightarrow^* \dots \rightarrow^*



Is the administration of the Bang Calculus diligent ?

$$\begin{array}{ccc} \rightarrow^* & \dots & \rightarrow^* \\ & \Downarrow & \\ \rightarrow \dashrightarrow^* & \dots & \rightarrow \dashrightarrow^* \end{array}$$



Is the administration of the Bang Calculus diligent ?

$$\begin{array}{ccc} \rightarrow^* & \dots & \rightarrow^* \\ & \Downarrow & \\ \rightarrow \dashrightarrow^* & \dots & \rightarrow \dashrightarrow^* \end{array}$$

Diligence: [ArriaGuerrieriKesner'??]

$$t \rightarrow^* u \text{ and } u \text{ admin free} \Rightarrow t (\rightarrow \dashrightarrow^*)^* u$$





Is the administration of the Bang Calculus diligent ?

$$\begin{array}{ccc} \rightarrow^* & \dots & \rightarrow^* \\ & \Downarrow & \\ \rightarrow \dashrightarrow^* & \dots & \rightarrow \dashrightarrow^* \end{array}$$


Diligence: [ArriaGuerrieriKesner'??]

$$t \rightarrow^* u \text{ and } u \text{ admin free} \Rightarrow t (\rightarrow \dashrightarrow^*)^* u$$

$$t^V \rightarrow^* u^V \Rightarrow t^V (\rightarrow \dashrightarrow^*)^* u^V$$



Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**


Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t^V \rightarrow u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**


Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t \rightarrow u$ \Leftarrow $t^V \rightarrow u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

Bang Calculus: A Subsuming Paradigm



Static Properties: [BucciarelliKesnerRíosViso'20,'23]

VALUE t normal form $\Leftrightarrow t^V$ normal form **BANG**

Dynamic Properties: [ArrialGuerrieriKesner'??]

VALUE $t \rightarrow u$ $\Leftrightarrow t^V \rightarrow u^V$ **BANG**

Stability: [ArrialGuerrieriKesner'??]

$t^V \rightarrow^* u'$ and u' admin free $\Rightarrow u' = u^V$

$$\rightarrow_F \cdots \rightarrow_F$$

$$\rightarrow_F \cdots \rightarrow_F$$



$$\rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I$$

$$\begin{array}{c} \rightarrow_F \cdots \rightarrow_F \\ \Downarrow \\ \rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I \end{array}$$

How to prove it ?

$$\begin{array}{c} \rightarrow_F \cdots \rightarrow_F \\ \Downarrow \\ \rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I \end{array}$$

How to prove it ?

- Directly

$$\begin{array}{c} \rightarrow_F \cdots \rightarrow_F \\ \Downarrow \\ \rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I \end{array}$$

How to prove it ?

- Directly (Hard)

$$\begin{array}{c} \rightarrow_F \cdots \rightarrow_F \\ \Downarrow \\ \rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I \end{array}$$

How to prove it ?

- Directly (Hard)
- Local commutations

[Accattoli, B.: An Abstract Factorization Theorem for Explicit Substitutions]

$$\begin{array}{c} \rightarrow_F \cdots \rightarrow_F \\ \Downarrow \\ \rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I \end{array}$$

How to prove it ?

- Directly (Hard)
- Local commutations (Tedious)

[Accattoli, B.: [An Abstract Factorization Theorem for Explicit Substitutions](#)]

$$\begin{array}{c} \rightarrow_F \cdots \rightarrow_F \\ \Downarrow \\ \rightarrow_S \cdots \rightarrow_S \rightarrow_I \cdots \rightarrow_I \end{array}$$

How to prove it ?


- Directly (Hard)
- Local commutations (Tedious)

[Accattoli, B.: An Abstract Factorization Theorem for Explicit Substitutions]


Factorization: [ArrialGuerrieriKesner'??]

$$t \rightarrow_F^* u \Rightarrow t \rightarrow_S^* \rightarrow_I^* u$$

NAME




BANG




CbN and CbV Factorization

NAME




BANG




CbN and CbV Factorization

NAME




BANG




CbN and CbV Factorization

NAME




BANG




CbN and CbV Factorization


NAME




BANG



VALUE




BANG




CbN and CbV Factorization

VALUE




BANG




CbN and CbV Factorization

VALUE




BANG




CbN and CbV Factorization

VALUE




BANG




CbN and CbV Factorization

VALUE



BANG



Summary:

- New CbV embedding (conservative)
- Simulation and reverse simulation (full, surface, internal)
- Factorization for Bang, Cbn and CbV (3 for 1 deal !)

Summary:

- New CbV embedding (conservative)
- Simulation and reverse simulation (full, surface, internal)
- Factorization for Bang, Cbn and CbV (3 for 1 deal !)

Futur work:

- Confluence, standardization, normalization, ...
- Logical counterpart

Summary:

- New CbV embedding (conservative)
- Simulation and reverse simulation (full, surface, internal)
- Factorization for Bang, Cbn and CbV (3 for 1 deal !)

Futur work:

- Confluence, standardization, normalization, ...
- Logical counterpart

Thank you !